# Michigan Department of Natural Resources and Environment



For questions or concerns regarding the Mueller Industries, Inc. lead screening project, or on the subject of lead in general, please contact the following persons, web sites, or toll-free hotlines listed below.

# 1. Environmental specific to the Mueller Industries Lead sampling:

- <u>Soil Sampling:</u> Chris Christensen, DNRE, Remediation Division, Grand Rapids District Office, phone: 616-356-0225, email: christensenc@michigan.gov
- <u>Soil Toxicology:</u> Eric Wildfang, DNRE, Remediation Division, Toxicology Unit, phone: 517-335-1558, email: wildfange@michigan.gov
- <u>Local Air Issues:</u> Eric Grinstern, DNRE, Air Quality Division, Grand Rapids District Office, phone: 616-356-0266, email: grinsterne@michigan.gov
- <u>Air Monitoring:</u> Craig Fitzner, DNRE, Air Quality Division, Lansing-Air Monitoring Unit, phone: 517-373-7044, email: fitznerc@michigan.gov

## 2. Public health effects of lead exposure:

- <u>Local:</u> Kay Houseman, Ionia County Health Department, Environmental Health, phone: 616-527-5341, email: khouseman@ioniacounty.org
- <u>State:</u> Debra Behringer, Department of Community Health (DCH), Childhood Poisoning Prevention Lead Program, phone: 517-335-8875, email: behringerd@michigan.gov

### 3. Local testing for blood lead levels:

• <u>Local:</u> Kay Houseman, Ionia County Health Department, Environmental Health, phone: 616-527-5341, email: khouseman@ioniacounty.org

### 4. Key lead websites:

- Mueller Specific DNRE website: www.michigan.gov/dnre/0,1607,7-269--244345--,00.html
- State: www.michigan.gov/leadsafe
- Federal: www.epa.gov/lead

#### 5. Key lead phone hotlines:

- State: DCH toll free phone number: 866-691-LEAD (5323)
- Federal: National Lead Information Center, phone: 1-800-424-LEAD (5323)

#### 6. Information repository for reports regarding Mueller Industries Lead sampling:

 State: DNRE, Remediation Division, Grand Rapids District Office, 350 Ottawa Avenue, NW, Unit 10, Grand Rapids, MI 49503, phone: 616-356-0500